ELSEVIER

Hearing Research 126 (1998) 217–218

HEARING RESEARCH

Author Index Volume 126

A. Girod, D., see Park, D.L. (126) 84
Abdala, C., see Sininger, Y.S. (126) 58
Argeles, P.C., see Huffman, R.F. (126) 161
Argeles, P.C., see Huffman, R.F. (126) 181

Belyantseva, I.A., see Frolenkov, G.I. (126) 67
Bilecen, D., Scheffler, K., Schmid, N., Tschopp, K. and Seelig, J.
Tonotopic organization of the human auditory cortex as detected by BOLD-FMRI (126) 19
Billings, P.B., Shin, S.-O. and Harris, J.P.
Assessing the role of anti-hsp70 in cochlear impairment (126) 210

Code, R.A., Westbrook, E.W. and Ryals, B.M.
Effects of columella removal on inner ear morphology in the chick (126) 113
Cone-Wesson, B., see Sininger, Y.S. (126) 58
Covey, E., see Huffman, R.F. (126) 161
Covey, E., see Huffman, R.F. (126) 181

Diószeghy, P., see Tóth, L. (126) 123
Dreschler, W.A., see Leeuw, A.R. (126) 1
Durham, D., see Park, D.L. (126) 84

Frolenkov, G.I., Belyantseva, I.A., Kurc, M., Mastroianni, M.A. and Kachar, B.
Cochlear outer hair cell electromotility can provide force for both low and high intensity distortion product otoacoustic emissions (126) 67
Furness, D.N., see Mahendrasingam, S. (126) 151
Furuta, H., Luo, L., Hepler, K. and Ryan, A.F.
Corrigendum to: "Evidence for differential regulation of calcium by outer versus inner hair cells: plasma membrane Ca-ATPase gene expression"
[Hear. Res. 123 (1998) 10-26] (126) 214

Gerstein, G.L., see Talwar, S.K. (126) 135
Gleich, O., see Köppl, C. (126) 99

Hackney, C.M., see Mahendrasingam, S. (126) 151
Hara, A., see Tabuchi, K. (126) 28
Harris, J.P., see Billings, P.B. (126) 210
Hefeneider, S.H., see Trune, D.R. (126) 213
Henzl, M.T., Thalmann, I. and Thalmann, R.
OCP2 exists as a dimer in the organ of Corti (126) 37
Hepler, K., see Furuta, H. (126) 214
Huffman, R.F., Argeles, P.C. and Covey, E.
Processing of sinusoidally frequency modulated signals in the nuclei of the lateral lemniscus of the big brown bat, *Eptesicus fuscus* (126) 161
Huffman, R.F., Argeles, P.C. and Covey, E.
Processing of sinusoidally amplitude modulated signals in the nuclei of the lateral lemniscus of the big brown bat, *Eptesicus fuscus* (126) 181

Ikeda, K., see Zheng, Y. (126) 11
Ito, Z., see Tabuchi, K. (126) 28

Jackson, B.S., and Relkin, E.M.
A frequency-dependent saturation evident in rate-intensity functions of the chinchilla auditory nerve (126) 75

Kachar, B., see Frolenkov, G.I. (126) 67
Klishin, V.O., see Popov, V.V. (126) 126
Köppl, C., Gleich, O., Schwabedissen, G., Siegl, E. and Manley, G.A.
Fine structure of the basilar papilla of the emu: implications for the evolution of avian hair-cell types (126) 99
Kurc, M., see Frolenkov, G.I. (126) 67
Kusakari, J., see Tabuchi, K. (126) 28

Lampé, I., see Tóth, L. (126) 123
Leeuw, A.R., and Dreschler, W.A.
The relation between otoacoustic emissions and the broadening of the auditory filter for higher levels (126) 1
Lu, Z., and Popper, A.N.
Morphological polarizations of sensory hair cells in the three otolithic organs of a teleost fish: fluorescent imaging of ciliary bundles (126) 47
Luo, L., see Furuta, H. (126) 214

Mahendrasingam, S., Furness, D.N. and Hackney, C.M.
Ultrastructural localisation of spectrin in sensory and supporting cells of guinea-pig organ of Corti (126) 151
Manley, G.A., see Köppl, C. (126) 99
Mastroianni, M.A., see Frolenkov, G.I. (126) 67

Nakamura, M., see Zheng, Y. (126) 11

Park, D.L., A. Girod, D. and Durham, D.
Evidence for loss and recovery of chick brainstem auditory neurons during gentamicin-induced cochlear damage and regeneration (126) 84
Popov, V.V., Supin, A.Y. and Klishin, V.O.
Lateral suppression of rhythmic evoked responses in the dolphin's auditory system (126) 126
Popper, A.N., see Lu, Z. (126) 47

Rácz, T., see Tóth, L. (126) 123
Répássy, G., see Tóth, L. (126) 123
Relkin, E.M., see Jackson, B.S. (126) 75
Ryals, B.M., see Code, R.A. (126) 113
Ryan, A.F., see Furuta, H. (126) 214

Scheffler, K., see Bilecen, D. (126) 19
Schmid, N., see Bilecen, D. (126) 19
Schwabedissen, G., see Köppl, C. (126) 99
Seelig, J., see Bilecen, D. (126) 19
Shin, S.-O., see Billings, P.B. (126) 210
Siegl, E., see Köppl, C. (126) 99
Sininger, Y.S., Cone-Wesson, B. and Abdala, C.

Gender distinctions and lateral asymmetry in the low-level auditory brainstem response of the human neonate (126) 58
Supin, A.Y., see Popov, V.V. (126) 126

Tabuchi, K., Ito, Z., Wada, T., Hara, A. and Kusakari, J.
The effect of mannitol upon cochlear dysfunction induced by transient local anoxia (126) 28
Takasaka, T., see Zheng, Y. (126) 11
Talwar, S.K., and Gerstein, G.L.
Auditory frequency discrimination in the white rat (126) 135
Thalmann, R., see Henzl, M.T. (126) 37
Thalmann, I., see Henzl, M.T. (126) 37
Tóth, L., Rácz, T., Diószeghy, P., Répássy, G. and Lampé, I.
Otoacoustic emission in myasthenia gravis patients and the role of efferent activation (126) 123
Troyanovskaya, M., and Wackym, P.A.
Evidence for three additional $P2X_2$ purinoceptor isoforms produced by alternative splicing in the adult rat vestibular end-organs (126) 201
Trune, D.R., and Hefeneider, S.H.
Response to Billings et al.: Assessing the role of anti-hsp70 in cochlear impairment (126) 213
Tschopp, K., see Bilecen, D. (126) 19

Wackym, P.A., see Troyanovskaya, M. (126) 201
Wada, T., see Tabuchi, K. (126) 28
Westbrook, E.W., see Code, R.A. (126) 113

Zheng, Y., Ikeda, K., Nakamura, M. and Takasaka, T.
Endonuclease cleavage of DNA in the aged cochlea of Mongolian gerbil (126) 11

ELSEVIER

Hearing Research 126 (1998) 219–221

HEARING RESEARCH

Subject Index Volume 126

Acetylcholine receptor
Myasthenia gravis; Transient evoked otoacoustic emission (Tóth, L. (126) 123)

Albino rat
Frequency discrimination; Frequency difference limen; Signal detection; Response latency; Tone duration (Talwar, S.K. (126) 135)

Alternative splicing
Extracellular ATP; Ligand-gated channel; P2 purinoceptor; Vestibular periphery (Troyanovskaya, M. (126) 201)

Amplitude modulation
Auditory brainstem; Nuclei of the lateral lemniscus; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 181)

Apoptosis
TUNEL method; Outer hair cell; Ganglion cell; Distortion product otoacoustic emission; Endocochlear potential (Zheng, Y. (126) 11)

Auditory brainstem
Gender difference; Lateral asymmetry; Human neonate (Sininger, Y.S. (126) 58)

Lateral suppression; Envelope-following response; Dolphin (Popov, V.V. (126) 126)

Nuclei of the lateral lemniscus; Frequency modulation; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 161)

Nuclei of the lateral lemniscus; Amplitude modulation; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 181)

Auditory cortex
Tonotopy; Functional magnetic resonance imaging; Sine tone presentation (Bilecen, D. (126) 19)

Auditory filter
Transient evoked otoacoustic emission; Notched-noise masking; Normal-hearing and hearing-impaired subjects (Leeuw, A.R. (126) 1)

Auditory nerve
Rate-intensity function; Saturation; Dynamic range; Chinchilla (Jackson, B.S. (126) 75)

Tegmentum vasculosum; Support cell; Hair cell; Efferent terminal (Code, R.A. (126) 113)

Basilar papilla
Nucleus magnocellularis; Plasticity; Neurogenesis; Hair cell regeneration (Park, D.L. (126) 84)

Bat
Auditory brainstem; Nuclei of the lateral lemniscus; Frequency modulation; Temporal processing; Echolocation (Huffman, R.F. (126) 161)

Auditory brainstem; Nuclei of the lateral lemniscus; Amplitude modulation; Temporal processing; Echolocation (Huffman, R.F. (126) 181)

Bird
Hearing; Cochlea; Hair cell; Micromechanics; Stereocilia (Köppl, C. (126) 99)

Blood circulation
Cochlea; Compound action potential; Local anoxia; Mannitol (Tabuchi, K. (126) 28)

Chinchilla
Auditory nerve; Rate-intensity function; Saturation; Dynamic range (Jackson, B.S. (126) 75)

Cochlea
Compound action potential; Blood circulation; Local anoxia; Mannitol (Tabuchi, K. (126) 28)

Outer hair cell motility; Otoacoustic emission; Sulfhydryl reagent; Guinea pig (Frolenkov, G.I. (126) 67)

Hearing; Hair cell; Micromechanics; Stereocilia; Bird (Köppl, C. (126) 99)

Spectrin; Hair cell; Organ of Corti; Inner ear (Mahendrasingam, S. (126) 151)

Compound action potential
Cochlea; Blood circulation; Local anoxia; Mannitol (Tabuchi, K. (126) 28)

Confocal microscopy
Hearing; Inner ear; Kinocilium; Stereocilia (Lu, Z. (126) 47)

Distortion product otoacoustic emission
TUNEL method; Apoptosis; Outer hair cell; Ganglion cell; Endocochlear potential (Zheng, Y. (126) 11)

Dolphin
Lateral suppression; Envelope-following response; Auditory brainstem response (Popov, V.V. (126) 126)

Dynamic range
Auditory nerve; Rate-intensity function; Saturation; Chinchilla (Jackson, B.S. (126) 75)

Echolocation
Auditory brainstem; Nuclei of the lateral lemniscus; Frequency modulation; Temporal processing; Bat (Huffman, R.F. (126) 161)

Auditory brainstem; Nuclei of the lateral lemniscus; Amplitude modulation; Temporal processing; Bat (Huffman, R.F. (126) 181)

Efferent terminal
Tegmentum vasculosum; Support cell; Hair cell; Auditory nerve afferent (Code, R.A. (126) 113)

Endocochlear potential
TUNEL method; Apoptosis; Outer hair cell; Ganglion cell; Distortion product otoacoustic emission (Zheng, Y. (126) 11)

Envelope-following response
Lateral suppression; Auditory brainstem response; Dolphin (Popov, V.V. (126) 126)

Extracellular ATP
Alternative splicing; Ligand-gated channel; P2 purinoceptor; Vestibular periphery (Troyanovskaya, M. (126) 201)

Frequency difference limen
Frequency discrimination; Albino rat; Signal detection; Response latency; Tone duration (Talwar, S.K. (126) 135)

Frequency discrimination
Frequency difference limen; Albino rat; Signal detection; Response latency; Tone duration (Talwar, S.K. (126) 135)

Frequency modulation
Auditory brainstem; Nuclei of the lateral lemniscus; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 161)

Functional magnetic resonance imaging
Tonotopy; Auditory cortex; Sine tone presentation (Bilecen, D. (126) 19)

Ganglion cell
TUNEL method; Apoptosis; Outer hair cell; Distortion product otoacoustic emission; Endocochlear potential (Zheng, Y. (126) 11)

Gender difference
Lateral asymmetry; Auditory brainstem response; Human neonate (Sininger, Y.S. (126) 58)

Guinea pig
OCP2; SKP1; Sedimentation; Organ of Corti (Henzl, M.T. (126) 37)

Cochlear amplifier; Outer hair cell motility; Otoacoustic emission; Sulfhydryl reagent (Frolenkov, G.I. (126) 67)

Hair cell
Nucleus magnocellularis; Plasticity; Neurogenesis; Basilar papilla (Park, D.L. (126) 84)

Hearing; Cochlea; Micromechanics; Stereocilia; Bird (Köppl, C. (126) 99)

Tegmentum vasculosum; Support cell; Efferent terminal; Auditory nerve afferent (Code, R.A. (126) 113)

Spectrin; Organ of Corti; Cochlea; Inner ear (Mahendrasingam, S. (126) 151)

Hearing
Inner ear; Kinocilium; Stereocilia; Confocal microscopy (Lu, Z. (126) 47)

Cochlea; Hair cell; Micromechanics; Stereocilia; Bird (Köppl, C. (126) 99)

Human neonate
Gender difference; Lateral asymmetry; Auditory brainstem response (Sininger, Y.S. (126) 58)

Inner ear
Hearing; Kinocilium; Stereocilia; Confocal microscopy (Lu, Z. (126) 47)

Spectrin; Hair cell; Organ of Corti; Cochlea (Mahendrasingam, S. (126) 151)

Kinocilium
Hearing; Inner ear; Stereocilia; Confocal microscopy (Lu, Z. (126) 47)

Lateral asymmetry
Gender difference; Auditory brainstem response; Human neonate (Sininger, Y.S. (126) 58)

Lateral suppression
Envelope-following response; Auditory brainstem response; Dolphin (Popov, V.V. (126) 126)

Ligand-gated channel
Alternative splicing; Extracellular ATP; P2 purinoceptor; Vestibular periphery (Troyanovskaya, M. (126) 201)

Local anoxia
Cochlea; Compound action potential; Blood circulation; Mannitol (Tabuchi, K. (126) 28)

Mannitol
Cochlea; Compound action potential; Blood circulation; Local anoxia (Tabuchi, K. (126) 28)

Micromechanics
Hearing; Cochlea; Hair cell; Stereocilia; Bird (Köppl, C. (126) 99)

Myasthenia gravis
Acetylcholine receptor; Transient evoked otoacoustic emission (Tóth, L. (126) 123)

Neurogenesis
Nucleus magnocellularis; Plasticity; Hair cell regeneration; Basilar papilla (Park, D.L. (126) 84)

Normal-hearing and hearing-impaired subjects
Auditory filter; Transient evoked otoacoustic emission; Notched-noise masking (Leeuw, A.R. (126) 1)

Notched-noise masking
Auditory filter; Transient evoked otoacoustic emission; Normal-hearing and hearing-impaired subjects (Leeuw, A.R. (126) 1)

Nuclei of the lateral lemniscus
Auditory brainstem; Frequency modulation; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 161)

Auditory brainstem; Amplitude modulation; Temporal processing; Echolocation; Bat (Huffman, R.F. (126) 181)

Nucleus magnocellularis
Plasticity; Neurogenesis; Hair cell regeneration; Basilar papilla (Park, D.L. (126) 84)

OCP2
SKP1; Sedimentation; Organ of Corti; Guinea pig (Henzl, M.T. (126) 37)

Organ of Corti
OCP2; SKP1; Sedimentation; Guinea pig (Henzl, M.T. (126) 37)

Spectrin; Hair cell; Cochlea; Inner ear (Mahendrasingam, S. (126) 151)

Otoacoustic emission
Cochlear amplifier; Outer hair cell motility; Sulfhydryl reagent; Guinea pig (Frolenkov, G.I. (126) 67)

Outer hair cell
TUNEL method; Apoptosis; Ganglion cell; Distortion product otoacoustic emission; Endocochlear potential (Zheng, Y. (126) 11)

Cochlear amplifier; Otoacoustic emission; Sulfhydryl reagent; Guinea pig (Frolenkov, G.I. (126) 67)

P2 purinoceptor
Alternative splicing; Extracellular ATP; Ligand-gated channel; Vestibular periphery (Troyanovskaya, M. (126) 201)

Plasticity
Nucleus magnocellularis; Neurogenesis; Hair cell regeneration; Basilar papilla (Park, D.L. (126) 84)

Rate-intensity function
Auditory nerve; Saturation; Dynamic range; Chinchilla (Jackson, B.S. (126) 75)

Response latency
Frequency discrimination; Frequency difference limen; Albino rat; Signal detection; Tone duration (Talwar, S.K. (126) 135)

Saturation
Auditory nerve; Rate-intensity function; Dynamic range; Chinchilla (Jackson, B.S. (126) 75)

Sedimentation
OCP2; SKP1; Organ of Corti; Guinea pig (Henzl, M.T. (126) 37)

Signal detection
Frequency discrimination; Frequency difference limen; Albino rat; Response latency; Tone duration (Talwar, S.K. (126) 135)

Sine tone presentation
Tonotopy; Functional magnetic resonance imaging; Auditory cortex (Bilecen, D. (126) 19)

SKP1
OCP2; Sedimentation; Organ of Corti; Guinea pig (Henzl, M.T. (126) 37)

Spectrin
Hair cell; Organ of Corti; Cochlea; Inner ear (Mahendrasingam, S. (126) 151)

Stereocilia
Hearing; Inner ear; Kinocilium; Confocal microscopy (Lu, Z. (126) 47)

Hearing; Cochlea; Hair cell; Micromechanics; Bird (Köppl, C. (126) 99)

Sulfhydryl reagent
Cochlear amplifier; Outer hair cell motility; Otoacoustic emission; Guinea pig (Frolenkov, G.I. (126) 67)

Support cell
Tegmentum vasculosum; Hair cell; Efferent terminal; Auditory nerve afferent (Code, R.A. (126) 113)

Tegmentum vasculosum
Support cell; Hair cell; Efferent terminal; Auditory nerve afferent (Code, R.A. (126) 113)

Temporal processing
Auditory brainstem; Nuclei of the lateral lemniscus; Frequency modulation; Echolocation; Bat (Huffman, R.F. (126) 161)

Auditory brainstem; Nuclei of the lateral lemniscus; Amplitude modulation; Echolocation; Bat (Huffman, R.F. (126) 181)

Tone duration
Frequency discrimination; Frequency difference limen; Albino rat; Signal detection; Response latency (Talwar, S.K. (126) 135)

Tonotopy
Functional magnetic resonance imaging; Auditory cortex; Sine tone presentation (Bilecen, D. (126) 19)

Transient evoked otoacoustic emission
Auditory filter; Notched-noise masking; Normal-hearing and hearing-impaired subjects (Leeuw, A.R. (126) 1)

Acetylcholine receptor; Myasthenia gravis (Tóth, L. (126) 123)

TUNEL method
Apoptosis; Outer hair cell; Ganglion cell; Distortion product otoacoustic emission; Endocochlear potential (Zheng, Y. (126) 11)

Vestibular periphery
Alternative splicing; Extracellular ATP; Ligand-gated channel; P2 purinoceptor (Troyanovskaya, M. (126) 201)